

Database is mounted read only and I can't change it

Question



[Laura Cavanaugh](#) · Nov 14, 2017

Database is mounted read only and I can't change it

I have a couple of new namespaces/databases that are read-only. I don't remember changing them to read-only, and although my username has %all (I installed the system), I am unable to change the "Always mount as read-only" property.

What am I missing?

Thanks,

Laura

Database Properties

Name	PMG
	Required.
Directory	e:\datasets\pmg\
Encrypted	No
Block Size	8192 Bytes
Size (MB)	Current <input type="text" value="229"/> Expansion <input type="text" value="0"/> Maximum <input type="text" value="0"/>
	<small>>=229 0 for Default 0 for Unlimited</small>
Resource Name	<input type="text" value="%DB_PMG"/>
New Global	Collation <input type="text" value="Cache standard"/> Growth Block <input type="text" value="50"/> Pointer Block <input type="text" value="16"/>
	<small> >=50 >=6</small>
Global Journal State	<input checked="" type="checkbox"/>
Preserve Global Attributes on Delete	<input type="checkbox"/>
Always Mount Read-Only	No
Mount Required at Startup	<input type="checkbox"/>
Stream Location	<input type="text"/>

This database is mounted as read-only!

00 0 6 1,212 [1](#)

Source URL: <https://community.intersystems.com/post/database-mounted-read-only-and-i-cant-change-it>