
Question

[Ignacio Valdes](#) · Nov 14, 2019

Basic question: how to edit?

I want to edit this routine to replace "Cache" with "IRIS" how do I do that in Intersystems Google Cloud environment? The portal [System](#) > [Routines](#) doesn't seem to show much.

```
RPMS>ZL %RCR ZP
```

```
DIRCR ;SFISC/GFT-DELETE THIS LINE AND SAVE AS '%RCR'*** ;12:18 PM 20 Apr 1993 [ 04/02/2003 8:23 AM ]
```

```
;;22.0;VA FileMan;**1001**;APR 1, 2003
```

```
;;22.0;VA FileMan;;Mar 30, 1999
```

```
;;THIS ROUTINE CONTAINS AN IHS MODIFICATION BY IHS/MFD
```

```
;;Per VHA Directive 10-93-142, this routine should not be modified.
```

```
%RCR ;GFT/SF
```

```
;
```

```
STORLIST ;
```

```
;----- BEGIN IHS MODIFICATION
```

```
;;4 NEW LINES ARE ADDED. ORIGINAL MODIFICATION BY IHS/MFD
```

```
I $ZV["Cache" G IHS
```

```
S %D="" F S %D=$O(%RCR(%D)) Q:%D="" ZNEW @%D
```

```
S %E=%RCR K %RCR,%X,%Y D @%E Q
```

```
IHS ;
```

```
;----- END IHS MODIFICATION
```

```
D INIT
```

```
O S %D=$O(%RCR(%D)) G CALL:%D=""
```

```
I $D(@%D)#2 S @(%E)=" %D" G O:$D(@%D)=1
```

```
S %X=%D_"(" D %XY G O
```

```
;
```

```
CALL S %E=%RCR K %RCR,%X,%Y D @%E
```

```
S %E="^UTILITY("%RCR",,$J,"^UTILITY("%RCR",,$J)",%D",^($J)=^($J)-1,%D=0,%X=%E_"
```

```
G S %D=$O(@(%E_)) I %D="" K %D,%E,%X,%Y,^(,$J,^UTILITY("%RCR",,$J)+1) Q

I $D(^(%D))#2 S @%D=^(%D) G G:$D(^(%D))=1

S %Y=%D_(" D %XY G G

;

;

XY(%X,%Y) ;

%XY ;

N %A,%B,%Q,%Z

S %A=$$R(%X),%Q="*****

I $P(%A,(",2)]""$E(%A,$L(%A))'=" S:$L($P(%A,(",2),",")>1 %Q=$P(%A,",$L(%A,","),)$P(%A,",$L(%A,","))

))="" S:%Q="***** %Q=$P(%A,(",2),$P(%A,(",2))=""

S %Z=%A_Q_)",%B=$L(%A)+1

F S %Z=$Q(@%Z) Q:$P(%Z,%A)]""!(%Z=") S @(%Y$E(%Z,%B,255))=@%Z

Q

R(%R) ;

N %C,%F,%G,%I,%R1,%R2

S %R1=$P(%R,(")_ I $E(%R1)="^ S %R2=$P($Q(@(%R1_"""")),(")_(" S:$P(%R2,(")]"" %R1=%R2

S %R2=$P($E(%R,1,($L(%R)-($E(%R,$L(%R))="))),(",2,99)

S %C=$L(%R2,",$F=1 F %I=1:1:%C S %G=$P(%R2,",$F,%I) Q:%G=" I

($L(%G,(")=$L(%G,")&($L(%G,""""))#2)

)!(($L(%G,""""))#2)&($E(%G)=""")&($E(%G,$L(%G))=""") S

%G=$$S(%G),$P(%R2,",$F,%I)=%G,%F=%F+$L(%G,",$I=%F-1

Q %R1_R2

S(%Z) ;

I $G(%Z)]"" Q ""

I $E(%Z)'=""",$L(%Z,"E")=2,+P(%Z,"E")=$P(%Z,"E"),+P(%Z,"E",2)=$P(%Z,"E",2) Q +%Z

I +%Z=%Z Q %Z

I %Z="***** Q ""

I $E(%Z)'?1A,"%$+@"[$E(%Z) Q %Z

I "+$[$E(%Z) X "S %Z="Z Q $$$Q(%Z)
```

```
I $D(@%Z) Q $$Q(@%Z)
```

```
Q %Z
```

```
Q(%Z) ;
```

```
S %Z(%Z)="",%Z=$Q(%Z("")) Q $E(%Z,4,$L(%Z)-1)
```

```
;
```

```
INIT I $D(^UTILITY("%RCR",$J))[0 S ^UTILITY("%RCR",$J)=0
```

```
S ^($J)=^($J)+1,%D="%Z",%E="^UTILITY("%RCR",$J,"^($J)",%D",%Y=%E,"
```

```
K ^($J,^($J))
```

```
Q
```

```
OS ;
```

```
S $P(^%ZOSF("OS"),"^",2)=DITZS
```

```
K DITZS S ZTREQ="@"
```

```
Q
```

[#Beginner #InterSystems IRIS for Health](#)

Source URL: <https://community.intersystems.com/post/basic-question-how-edit>