
Question

[Michael Davidovich](#) · Nov 14, 2019

Cache Web Apps and Local Web Server

I'm playing with Cache web apps (CSP pages) and local dev . . .

My understanding is that when you run Cache, it spins up a very lightweight Apache web server with the web root `C:/InterSystems/Cache/CSP` (or where your CSP folder happens to be). I can successfully place a `index.html` file with a simple header element in any one of the sub directories in `CSP` (e.g. `samples`, `sys`, `user`) and it will successfully be served on, for example, <http://localhost:57772/CSP/samples/index.html>.

However, if I put the `index.html` at `C:/InterSystems/Cache/CSP/index.html` or if I create a new folder and place it there (I tried `C:/InterSystems/Cache/CSP/www/index.htm`), I get a 404 not found error. Note, that I created the `www` directory, it didn't already exist. Nothing in the developer console on the browser seems to show any issue and I did check the `httpd` config file and it seems my web root is `C:/InterSystems/Cache/CSP`.

So in a nutshell my config looks like this:

```
### Section 1: Global Environment
ServerRoot "C:/InterSystems/Cache/httpd"
ServerName localhost
DocumentRoot "C:/InterSystems/Cache/CSP"
Alias /csp/ "C:/InterSystems/Cache/CSP"
LoadModule cspmodules "C:/InterSystems/Cache/CSP/bin/CSPa24Sys.dll"
LoadModule cspmodules "C:/InterSystems/Cache/CSP/bin/CSPa24.dll"
<Location />
  CSP On
  SetHandler csp-handler-sa
</Location>
```

And I can only put HTML or CSP files in one of the existing sub directories of `C:/InterSystems/Cache/CSP` for them to be served successfully when requesting from `localhost:57772`. If I place a HTML or CSP at the top level, or a new directory I get 404.

Do you know what the issue could be that I can't create new folders in my web root or place files at the top level of the web root?

[#CSP](#) [#HTML](#) [#Cache](#)

Source URL: <https://community.intersystems.com/post/cache-web-apps-and-local-web-server>