

---

Question

[Mark O'Reilly](#) · Apr 30, 2020

## How to work with Undefined value from Correlated XML Message

Hi:

Sorry I can't find the correct documentation for this. It's very simple I think.

I open up an XML reader class and correlate the XML to a message type.

My XML will read something like

```
<StatusLastChecked></StatusLastChecked>
```

This gets correlated into a message with the following property

```
Property StatusLastChecked As %String(XMLPROJECTION = "element");
```

I can use the following to get the other properties out

i.e. `docs.RelayedDocuments.GetAt(i).DateAdded` will get the date added properties

When i try for the one with the blank value for the blank entry with a trace I get undefined traced out

```
docs.RelayedDocuments.GetAt(i).StatusLastChecked
```

Trace	2020-04-28 10:57:35.840	26/04/2020 15:24:59
Trace	2020-04-28 10:57:35.840	undefined

I just want a line to basically try say if it has no value then do something. I tried the following but couldn't do anything based on if it was blank

```
set LastChecked= ""  
set LastChecked= docs.RelayedDocuments.GetAt(i).StatusLastChecked  
if LastChecked="undefined" {$$$TRACE("Gotcha")}  
  
if LastChecked="" {$$$TRACE("Gotcha")}
```

Thanks

[#Business Operation](#) [#XML](#) [#HealthShare](#)

---

Source URL: <https://community.intersystems.com/post/how-work-undefined-value-correlated-xml-message>