

Article

[Evgeny Shvarov](#) · Jun 12, 2020 3m read

[Open Exchange](#)

## Game Of Throne Analytics or How long is Arya's Stark List

Hi Devs!


Last weekend I had been testing the [newborn csvgen module](#) and was looking for a CSV file to test - thus I came across [an interesting datafile on Data.World](#) with Game of Throne episodes statistics. Death statistics. These folks documented all the murders through all the 8 seasons and noted where, who, from what clan with what weapon had killed another one.

So I imported it and made an IRIS Analytics dashboard.




Don't worry, Jon, with this dashboard we can figure out something ). See the details below.

The result of the "research" turned into [this interactive IRIS Analytics dashboard](#):




## Some facts

The "level of blood" grows from season to season and reaches its peak in Season 8.




There are 68 weapons, and the most dangerous is Dragonfire and Daenerys Targaryen is the bloodiest hero with 1000+ victims.



If we exclude Dragonfire weapon, then Cersei Lannister heads the top of the killers with 199 victims through all the 8 seasons.

killer	
Cersel Lannister	199
Arya Stark	68
Wight	54
Jon Snow	51
Bolton soldier	47
Night's Watch brother	41
Stark Soldier	38
Sons of the Harpy agent	38
Grey Worm	34
Dothraki man	32
Baratheon of King's Landing soldier	32
Sandor "the Hound" Clegane	29
Frey soldier	27

What surprised me, that Stark house killed more Lannister soldiers, then Lannisters killed Starks - 34 vs 14.



How does this work

It took me half an hour to make all the things.

First I made a new repository using [objectscript-docker template](#).

The [csvgen](#) module gives you a nice option to process a CSV to generate the class and import CSV data with one command. To make the thing you need to run the following:

```
set fn="/irisdev/app/data/game_of_thrones_deaths_collecti.csv"
set status=##class(communit.csvgen).Generate(fn,"",1,..tResults)
```

[This line in the code.](#)

As a result, you get [the class generated](#), whereas you can see, csvgen guessed on datatypes too:

```
Class shvarov.GOT.Deaths Extends %Library.Persistent [ Not Abstract, DdlAllowed, Not
LegacyInstanceContext, ProcedureBlock ]
{
Property name As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 2 ];
Property allegiance As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 3 ];
Property season As %Library.Integer(MAXVAL = 2147483647, MINVAL = -2147483648) [ SqlC
olumnNumber = 4 ];
Property episode As %Library.Integer(MAXVAL = 2147483647, MINVAL = -2147483648) [ Sql
ColumnNumber = 5 ];
Property location As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 6 ];
Property killer As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 7 ];
Property killershouse As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 8, SqlFiel
dName = killers_house ];
Property method As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 9 ];
Property deathno As %Library.Integer(MAXVAL = 2147483647, MINVAL = -2147483648) [ Sql
ColumnNumber = 10, SqlFieldName = death_no ];
```

The only thing I changed manually, I added [the check after %Save\(\)](#) in the generated Import() method. Without it,

you'll never know (obviously) why don't you have records imported.

Next, I created [the cube class](#) (manually with Architect), [pivot queries](#) (manually with Analyser), and a [Dashboard](#) (manually with IRIS Analytics Portal).

Then this was visualized with DSW.

I baked all the solution into a docker image, with the following [dockerfile](#), where I use ZPM to install:

[csvgen](#) - to generate CSV and import data, [the source](#).

[isc-dev](#) - for easy export IRIS Analytics artifacts, [the source](#).

[dsw](#) - to visualize the data, [the source](#).

All was coded in VSCode using [VSCode ObjectScript](#) plugin and Docker image of InterSystems IRIS Community Edition 2020.2.

And this is being deployed with every push into GCP Kubernetes Engine (GKE) using [Github Actions Workflow](#). This dashboard is being redeployed with every push in the master branch.

And as a result, you can see [this interactive dashboard](#) working.

The quality of ObjectScript is continuously measured using [ObjectScript Quality](#) via this [workflow file](#) and can [be examined here](#).

Any collaboration is very welcome!

P.S. And there were 68 people in Arya's list.

[#CSV](#) [#Docker](#) [#Google Cloud Platform \(GCP\)](#) [#ObjectScript](#) [#InterSystems Package Manager \(IPM\)](#) [#VSCode](#) [#InterSystems IRIS](#) [#InterSystems IRIS BI \(DeepSee\)](#)  
[Check the related application on InterSystems Open Exchange](#)

---

Source URL: <https://community.intersystems.com/post/game-throne-analytics-or-how-long-aryas-stark-list>