
Article

[Evgeny Shvarov](#) · Jun 24, 2020 3m read

[Open Exchange](#)

Getting an Angular UI for your InterSystems IRIS application in 5 minutes

Hi Developers!

Suppose you have a persistent class with data and you want to have a simple Angular UI for it to view the data and make CRUD operations.

Recently [@Alberto Fuentes](#) [described](#) how to build Angular UI for your InterSystems IRIS application using RESTForms2.

In this article, I want to tell you how you can get a simple Angular UI to CRUD and view your InterSystems IRIS class data automatically in less than 5 minutes.

Let's go!

To make this happen you need:

- 1. InterSystems IRIS
- 2. [ZPM](#)
- 3. [RESTForms2](#) and [RESTForms2-UI](#) modules.

I'll take a [Data.Countries](#) class which I generated and imported via [csvgen](#) using this command:

```
d ##class(communit.csvgen).GenerateFromURL("https://raw.githubusercontent.com/datasceiencedojo/datasets/master/WorldDBTables/CountryTable.csv"," ","Data.Countries")
```

To make an Angular UI we need to expose REST API for this class, which will service CRUD operations.

Let's use [restforms2](#) module for this.

[This command in dockerfile](#) installs restforms2 into IRIS container:

```
zpm "install restforms2" \
```

To add a REST API we need to derive the [class from Form.Adaptor](#):

```
Class Data.Countries Extends (%Library.Persistent, Form.Adaptor)
```

Add restforms2 parameters to the persistent class to manage the general behavior: sorting parameter, display name, etc:

```
// Form name, not a global key so it can be anything
Parameter FORMNAME = "Countries";

/// Default permissions
/// Objects of this form can be Created, Read, Updated and Deleted
/// Redefine this parameter to change permissions for everyone
/// Redefine checkPermission method (see Form.Security) for this class
/// to add custom security based on user/roles/etc.
Parameter OBJPERMISSIONS As %String = "CRUD";

/// Property used for basic information about the object
/// By default getObjectDisplayName method gets its value from it
Parameter DISPLAYPROPERTY As %String = "name";
```

Perfect. Next, we can use restforms2 syntax to let restforms2 know, what properties of the class we want to expose to the CRUD. You can make it adding "DISPLAYNAME =" attribute to the properties, you want to expose into restforms2-ui. Example:

```
Property code As %Library.String(MAXLEN = 250) [ SqlColumnNumber = 2 ];

Property name As %Library.String(DISPLAYNAME = "Name", MAXLEN = 250) [ SqlColumnNumber = 3 ];

Property continent As %Library.String(DISPLAYNAME = "Continent", MAXLEN = 250) [ SqlColumnNumber = 4 ];

Property region As %Library.String(DISPLAYNAME = "Region", MAXLEN = 250) [ SqlColumnNumber = 5 ];

Property surfacearea As %Library.Integer(DISPLAYNAME = "Surface Area", MAXVAL = 2147483647, MINVAL = -2147483648) [ SqlColumnNumber = 6, SqlFieldName = surface_area ];

Property independenceyear As %Library.Integer(DISPLAYNAME = "Independence Year", MAXVAL = 2147483647, MINVAL = -2147483648) [ SqlColumnNumber = 7, SqlFieldName = independence_year ];
```

Great! Now let's introduce the UI layer. [This command in dockerfile](#) installs restforms2-ui, which is Angular UI for Restform2:

```
zpm "install restforms2-ui" \
```

That's it! Let's examine the UI for your class, which you can find in the URL `server:port/restforms2-ui:`



RestForms

Login

Password

Server

Web App

Sign in

[<](#) **Data.Countries** 25 [+ Create](#) [Search](#)

Name [↑](#)

Albania
Algeria
Angola
Antigua and Barbuda
Argentina
Armenia
Australia
Austria
Azerbaijan

Independence Year

1912

Population

3401200

Life Expectancy

GNP

Local Name

Shqiperia

Government Form

Republic


Head of State

Rexhep Mejdani

[Cancel](#) [Save](#)

RESTForms goes with test classes Person and Company - and you can use it to examine the features of restformsUI. Currently It can edit string, number, boolean, date and look-up fields.

localhost:32828/restforms2-ui/index.html#/

 **RestForms**

Forms 3


Name ↑	Class
Company	Form.Test.Company
Person	Form.Test.Person
Simple form	Form.Test.Simple

< **Ahmed,Neil M.**

Name

Ahmed,Neil M.

Date of Birth

1923-06-15 

Ahmed,Neil M.

Sands,Patricia P.



O'Brien,Valery J.

Yang,Ted Z.

Quigley,Charlotte F.

Zevon,Buzz S.

Djakovic,Ted M.

Zevon,Buzz S.  

House

Not supported yet

Company


You can test all this on your laptop, if clone and build [this repository](#):

```
docker-compose up -d --build
```

And then open the URL:

```
localhost:port/restforms2-ui/index.html
```

or if you use VSCode, select this menu item:



Happy coding and stay tuned!

[#Angular](#) [#Angular2](#) [#Best Practices](#) [#Docker](#) [#InterSystems Package Manager \(IPM\)](#) [#ObjectScript](#) [#REST API](#)
[#InterSystems IRIS](#) [#VSCode](#)
[Check the related application on InterSystems Open Exchange](#)

Source
URL: <https://community.intersystems.com/post/getting-angular-ui-your-intersystems-iris-application-5-minutes>