

---

InterSystems Official  
[Steven LeBlanc](#) · Aug 21, 2020

## Introducing InterSystems Container Registry

I am pleased to announce the availability of InterSystems Container Registry. This provides a new distribution channel for customers to access container-based releases and previews. All Community Edition images are available in a public repository with no login required. All full released images (IRIS, IRIS for Health, Health Connect, System Alerting and Monitoring, InterSystems Cloud Manager) and utility images (such as arbiter, Web Gateway, and PasswordHash) require a login token, generated from your WRC account credentials.

The WRC Distributions site will continue to provide released images as tarballs for the time being. However, you can now configure your CI/CD pipelines to ‘ docker pull ’ images directly from InterSystems Container Registry.

The registry can be accessed at <https://containers.intersystems.com>. Please refer below or to the documentation ([Using the InterSystems Container Registry](#)) for full usage instructions. If you run into any issue or have any feedback to share please let us know in the comments below, or contact [support@intersystems.com](mailto:support@intersystems.com).

---

## Using the InterSystems Container Registry

This document provides instructions for using InterSystems Container Registry (ICR), located at [containers.intersystems.com](https://containers.intersystems.com).

Images in the ICR can be downloaded with the docker pull command, for example:  
`docker pull containers.intersystems.com/intersystems/iris-community:2020.4.0.547.0`

For a full listing of all available images, please refer to [Container Images Available from InterSystems](#)

This document contains the following sections:

- [Authenticating to the ICR](#)
- [Listing the ICR Inventory](#)

### [Authenticating to the ICR](#)

To log into the ICR, take the following steps:

1. Load <https://containers.intersystems.com/> in your browser and log in with your InterSystems/WRC credentials.
2. Retrieve your Docker login token, or the full login command.
3. In your Docker interface (for example, your PowerShell window or Linux command line), authenticate to the ICR using the provided credentials. You can do this by copying and pasting the full docker login command displayed, for example:

```
docker login -u="bbinstoc" -p="providedpassword " containers.intersystems.com
```

For security reasons, however, you may want to instead enter the command `docker login containers.intersystems.com`, then enter your username at the Username prompt and paste your password into the Password: prompt.

Note: If you are logged into another Docker registry, the docker login command may result in an error; log out of the other registry before logging into containers.intersystems.com.

4. You can now pull images from the ICR, for example:

```
docker pull containers.intersystems.com/intersystems/iris:2020.4.0.547.0
```

## [Listing the ICR Inventory](#)

APIs are available to list images and tags in a Docker registry. An example of an open source third-party utility that can be used to list a registry's inventory is `docker-ls`, available at <https://github.com/mayflower/docker-ls>.

There are several ways to obtain this utility. You can:

- Download [precompiled docker-ls binaries](#) for a variety of platforms.
- Install the utility directly on some platforms, for example on Linux systems with the command

```
sudo snap install docker-ls
```

- Pull and run the image `carinadigital/docker-ls:latest` on Linux platforms to install the utility, for example:

```
docker run --rm carinadigital/docker-ls:latest
```

Once `docker-ls` is installed, you can use the following command to list the repositories in the ICR:

```
docker-ls repositories --registry https://containers.intersystems.com --user  
username --password password
```

Note: Use the `--interactive-password` option to be prompted for the password rather than including it on the command line.

To list only the publicly available images, provide empty strings ("" ) as arguments to the `--user` and `--password` options, for example, the following lists only the tags of public InterSystems IRIS for Health images:

```
docker-ls tags --registry https://containers.intersystems.com --user "" --password  
"" intersystems/irishealth-community
```

If you wish to see the full list of non-public images, you will need to provide your username and password to this utility regardless of whether you are logged into [containers.intersystems.com](https://community.intersystems.com).

Further examples are available at <https://github.com/mayflower/docker-ls>

[#Containerization](#) [#Continuous Delivery](#) [#Continuous Integration](#) [#DevOps](#) [#Docker](#) [#Kubernetes](#) [#Health Connect](#)  
[#InterSystems IRIS](#) [#InterSystems IRIS for Health](#) [#InterSystems Official](#)

---

Source URL: <https://community.intersystems.com/post/introducing-intersystems-container-registry>