


Question

[Yi Zhong](#) · Nov 12, 2020

The return message structure of the SOAP service



The screenshot displays a SOAP service interface. The top panel shows the URL: `http://172.16.136.78:57772/heren/jcpt/HEREN.TEST.NewService1.cls`. Below the URL, there are two XML document trees. The left tree, labeled 'Request 1', shows a SOAP envelope with a body containing a `Sample` element. The right tree shows the response, which is a SOAP envelope with a body containing a `SampleResponse` element. A red arrow points to the `SampleResponse` element with the text 'Remove this nodes'. Below the XML trees, there is a code editor showing the source code for `HEREN.TEST.NewService1.cls`. The code is as follows:

```
Class HEREN.TEST.NewService1 Extends EnsLib.SOAP.Service
{
    Parameter ADAPTER;
    Parameter SERVICENAME = "NewService1";
    Parameter NAMESPACE = "http://herenit.com";

    Method Sample(pInput As %String) As HEREN.SysProdu.XXZX.MSG.RegTitleList (XMLNAME="ROOT") [ WebMethod ]
    {
        s b = ##class(HEREN.SysProdu.XXZX.MSG.RegTitleList).%New()
        d b.TitleList.Insert(1)
        Quit b
    }
}
```

This XML file does not appear to have any style information associated with it. The document tree is shown below.

WSDL

The problem is shown in figure ! thank you!

[#SOAP #Ensemble](#)

Source URL: <https://community.intersystems.com/post/return-message-structure-soap-service>