Question

Norman W. Freeman . Dec 24, 2020

Is there a way to automatically remove some specific characters from the response of a web service ?

I have implemented a web service that inherit from \scrip\scrip SOAP.WebService

It exposes classes with string properties:

```
Class Employee Extends (%RegisteredObject, %XML.Adaptor) [ ProcedureBlock ]
{

Parameter XMLNAME = "Employee";

Parameter XMLSEQUENCE = 1;

Property FirstName As %String(MAXLEN = "", XMLNAME = "FirstName") [ Required ];

Property LastName As %String(MAXLEN = "", XMLNAME = "LastName") [ Required ];
...
```

Here is the issue: those properties are filled from a huge Caché database which contains forbidden XML characters (usually control characters in the 0-31 range).

Ideally, the database would be cleaned, but this is something not possible here. My current solution is to manually clean the text data before properties are set:

```
set employee.FirstName = ##class(Utils).RemoveSpecialChars(...) //this function call
$ZSTRIP(...,"*C")
set employee.LastName = ##class(Utils).RemoveSpecialChars(...)
```

It works, but it is cumbersome and make source code harder to read than it should be.

I was wondering if there would be a better to achieve same result, but without the need to explicitly do this for all text properties.

What I have in mind (I have not been able achieve it):

- To get the whole XML response (eg: in a %SOAP.WebService callback) before it is send back to the client, and remove invalid characters from it.
- To implement a custom %XML.Writer and give it to the web service. That writer will take care of calling \$ZSTRIP() before outputting text in XML nodes.

#Databases #XML #Caché

Source

URL:https://community.intersystems.com/post/there-way-automatically-remove-some-specific-characters-response-web-service