\sim			٠.		
O	116	\sim	tı	\sim	n
w	ur	7	и	w	

Yone Moreno · Oct 14, 2021

How could we use MTOM to send a zip with a csv inside?

First of all thanks for your time reading this question, and thanks for your help

We have the following use case: we would need to send with MTOM a zip which contains a csv


We have read:

https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...

https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...

https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...

We would need to replicate how SOAPUI does send a zip with a csv as an attachment in a SOAP request, using Ensemble



Being the raw tags as follows:

```
POST
 Accept-Encoding: gzip,deflate
 Content-Type: multipart/related; type="application/xop+xml"; start="<rootpart@soapui.org>"; start-info="text/xml"; boundar
SOAPAction: "http://
 MIME-Version: 1.0
  -----=_Part_0_1750608019.1634208661288
  Content-Type: application/xop+xml; charset=UTF-8; type="text/xml"
  Content-Transfer-Encoding: 8bit
  Content-ID: <rootpart@soapui.org>
  <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:fic="http://schemas.xmlsoap.org/soap/envelope/" xmlns:fic="http://schemas.xmlsoap.org/soap.goap.org/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/soap.arg/s
      <soapenv:Header/>
      <soapenv:Body>
          <fic:CargarFicheroVacuRequest>
               <fic:fichero > <inc:Include href="cid:application.zip" xmlns:inc="http://www.w3.org/2004/08/xop/include"/ > </fic:fichero >
               <fic:ccaald>01</fic:ccaald>
                <fic:tipoFichero>1</fic:tipoFichero>
          </fic:CargarFicheroVacuRequest>
      </soapenv:Body>
  </soapenv:Envelope>
  ----=_Part_0_1750608019.1634208661288
  Content-Type: application/zip
  Content-Transfer-Encoding: binary
  Content-ID: <application.zip>
  Content-Disposition: attachment; name="application.zip"
  PKDDDDDDDDEmîRcDvDšDDDDDDDDDDDDDDvacusan-20210607115238.csvµŽ=NCAD.,($NB¤Dÿ-mMÅDD$& ,Úÿ Ù—D}ÓÅŐxfdDÛJ
 0 000000006<′0Üa×0Ã0+WÖ~×0′0<TÖ~×0PK000000000000000000
  -----=_Part_0_1750608019.1634208661288--
```

Could you help us, or point us, to the needed documentation, code examples, or Ensemble projects, to study, understand, and develop, this behaviour?

Are there some code examples, or documentantion that could help us?

Thanks for your time, replies and help

#SOAP #Caché #Ensemble

\$ZV: Cache for UNIX (Red Hat Enterprise Linux for x86-64) 2017.2.1 (Build 801<u>31</u>8358U) Tue Jul 24 2018 16:36:10 EDT

Source URL: https://community.intersystems.com/post/how-could-we-use-mtom-send-zip-csv-inside