Question

prashanth ponugoti · Apr 7, 2022

@sql in cache object script, sql explorer resulting different results

Hi Community,

I have below embeded sql query in object script class

&sql(SELECT count(ID) into :suspendedCount FROM Ens.MessageHeader where TargetQueueName not like 'S%' and TargetQueueName not like 'ENS%' and Status='5') resulting 1095 into suspendedCount

but same query executed in SQL explorer

SELECT count(ID) FROM Ens.MessageHeader where TargetQueueName not like 'S%' and TargetQueueName not like 'ENS%' and Status='5'

resulting 0

but once i changed where condition Status='5' to Status='Suspended'

SELECT count(ID) FROM Ens.MessageHeader where TargetQueueName not like ' \underline{S} %' and TargetQueueName not like ' \underline{S} 8%' and Status='Suspended'

resulting 1095

same embeded sql query in object script class

&sql(SELECT count(ID) into :suspendedCount FROM Ens.MessageHeader where TargetQueueName not like ' \underline{S} %' and TargetQueueName not like 'ENS%' and Status='Suspended') resulting 0 into suspendedCount

What is went wrong?

#Caché

Product version: Caché 2017.1

Source

URL:https://community.intersystems.com/post/sql-cache-object-script-sql-explorer-resulting-different-results