
Question

[Edoead Kroetkov](#) · Jan 23, 2023

view diacritics in REST service

I have code hier and trying to view diacrit character

Class Test.REST.Services Extends EnsLib.REST.Service

```
{
```

```
Parameter ADAPTER = "EnsLib.HTTP.InboundAdapter";
```

```
Parameter EnsServicePrefix = "^TEST";
```

```
XData UriMap
```

```
{
```

```
<Routes>
```

```
<Route Url="/dio/:Resource" Method="GET" Call="getDio" />
```

```
</Routes>
```

```
}
```

```
Method getDio(pInput As %Library.AbstractStream, Output pOutput As %Stream.Object, pResource As %String)
```

```
As %Status
```

```
{
```

```
    set status = $$$OK
```

```
    do pOutput.SetAttribute("ResponseCode", "200")
```

```
    set messageBuffer = {"text": "Patiënt"}
```

```
    do pOutput.Write(messageBuffer)
```

```
    do pOutput.SetAttribute("Charset", "UTF-8")
```

```
    set status = ##class(%SYSTEM.Status).OK()
```

```
    Quit $$$OK
```

```
}
```

```
}
```

But as response i get different character

```
{"text": "Pati nt:"}
```

any help will be appreciated

Hierwith my settings i use and trying

Lowercase	Unicode
Titlecase	Unicode
Sortering	IRIS standard
\$X/\$Y actie	Latin1

Invoer/Uitvoer tabellen


Invoer/Uitvoer	standaard
Proces	RAW
IRIS terminal	UTF8
Alternatieve terminal	UTF8
Bestand	RAW
Magnetische band	RAW
TCP/IP	RAW
Systeem aanroep	RAW
Printer	RAW

Web Files

Vertaling	standaard
Web File	UTF8

Datum, Tijd en Numerieke formaten

Systeem startup	standaard
Load from locale?	No



[#REST API](#) [#InterSystems IRIS](#)

Product version: IRIS 2020.1

\$ZV: 2020.1.0 build 217 path1

Source URL: <https://community.intersystems.com/post/view-diacritics-rest-service>